Contents

Preface vii

Conference Information viii

Conference Photograph ix

Chapter 1. Heavy electron phenomena

Heavy-quasiparticle phenomena in metals and semimetals
P. Fulde 1

Anisotropy of the magnetic susceptibility of UPt_3
E. Schuberth 9

Electronic structure of heavy fermions: Narrow temperature-independent bands
A.J. Arko, J.J. Joyce, A.B. Andrews, J.D. Thompson, J.L. Smith, E. Moshopoulou, Z. Fisk, A.A. Menovsky, P.C. Canfield 16

Kondo lattice model. A perspective of heavy electron phenomena
K. Ueda 22

A new method for including locally based correlations in the electronic structure of cerium and uranium materials
B.R. Cooper, Y.-H. Lin, Q.G. Sheng 27

Pressure induced heavy-fermion behaviour of $CeAu_2Si_2$ near 17 GPa
P. Link, D. Jaccard 31

Itinerant f-electron antiferromagnetism in UGa_3
D. Kaczorowski, R. Hauser, A. Czopnik 35

Crystallographic and magnetic structures in UTSi compounds
K. Prokeš, K.H.J. Buschow, E. Brück, F.R. de Boer, P. Svoboda, V. Sechovský 39

Crystallographic disorder and magnetism in $UPd_{2-x}Sn$
S. Süllow, C.C. Mattheus, B. Becker, C.E. Snel, A. Schenck, G.J. Nieuwenhuys, J.A. Mydosh 43

Unexpected heavy-electron behavior at low temperatures in $PrInAg_2$
A. Yatskar, W.P. Beyermann, R. Movshovich, P.C. Canfield, A. Panchula, S.L. Bud'ko 46

Neutron-diffraction study of antiferromagnetic order in $U(Pt, Pd)_3$
A. de Visser, R.J. Keizer, A.A. Menovsky, M. Mihalik, F.S. Tautz, J.J.M. Franse, B. Fåk, N.H. van Dijk, J. Flouquet, J. Bossy, S. Pujol 49

μSR study of antiferromagnetic order in UPt_3 alloyed with Pd
A. de Visser, R.J. Keizer, R. van Harrevelt, A.A. Menovsky, J.J.M. Franse, A. Amato, F.N. Gygax, M. Pinkpank, A. Schenck 53

Linear and nonlinear magnetic susceptibility of $U_{1-x}Th_xBe_{13}$
G.M. Schmiedeshoff, M.S. Torikachvili, A. Lacerda, C.M. Buford, J.L. Smith 56

Low-temperature magnetic phase transitions in $UCu_{5-x}Ag_x$ compounds
K.A. McEwen, M.A. Lopez de la Torre, M. Watmough, M. Ellerby 59

Magnetoresistivity in uranium-based heavy-fermion compounds
A.M. Strydom, Paul de V. du Plessis 62

Heavy-fermion behaviour in the Th_2Zn_{17}-type pseudobinary systems $U_2(Cu, M)_{17}$ (M = Al or Ga)
R. Troć, B. Andraka, M. Kuznietz, V.H. Tran, A.M. Gurevich, M. Wołcyrz, D. Badurski 65

Development of magnetism in $URu_{1-x}T_xAl$ compounds
A.V. Andreev, R.V. Dremov, M.I. Bartashevich, T. Goto, L. Havela, V. Sechovský 68

Thermopower study of La- and Ce-doped URu_2Si_2
M. Ocko, J.-G. Park 71

High field study of the magnetic phase transition of URu_2Si_2
S.A.M. Mentink, U. Wyder, J.A.A.J. Perenboom, A. de Visser, A.A. Menovsky, G.J. Nieuwenhuys, J.A. Mydosh, T.E. Mason 74

Search for the quadrupolar instability in URu_2Si_2
K. Kuwahara, H. Amitsuka, K. Tenya, T. Sakakibara, O. Suzuki, S. Nakamura, T. Goto, M. Mihalik, A.A. Menovsky, A. de Visser, J.J.M. Franse 77

Anisotropic magnetic coupling in $Np_xU_{1-x}Pd_2Al_3$, $Np_xU_{1-x}Ru_2Si_2$
S. Zwirner, J.C. Waerenborgh, F. Wastin, J. Rebizant, J.C. Spirlet, W. Potzel, G.M. Kalvius 80

Anomalous thermal, magnetic and transport properties of $U_2Rh_3Si_5$
B. Becker, S. Ramakrishnan, S. Süllow, C.C. Mattheus, C.E. Snel, G.J. Nieuwenhuys, J.A. Mydosh 83

Magnetic and transport properties of $U_{1-x}La_xPt$
J.R. Fernández, M.A. Argüelles, J.I. Espeso, J.C. Gómez Sal, K.A. McEwen 86

Magnetic response function in URhAl
A. Hiess, L. Havela, K. Prokes, R.S. Eccleston, G.H. Lander 89

Spin dynamics of Gd in UAl_2 and $LaAl_2$
J.-G. Park, B.R. Coles, S. Cottrell, K.A. McEwen 92

Enhanced ^{119}Sn Mössbauer quadrupole interactions below the magnetic phase transition of UPt_2Sn
S. Wiese, E. Gamper, H. Winkelmann, B. Büchner, M.M. Abd-Elmeguid, H. Micklitz, T. Takabatake 95

5f-band metamagnetism in UCoAl
L. Havela, A.V. Andreev, V. Sechovský, I.K. Kozlovskaya, K. Prokeš, P. Javorský, M.I. Bartashevich, T. Goto, K. Kamishima 98

The $(U_{1-x}Ln_x)Co_2Ge_2$ systems: Parallel (Ln = Nd) and antiparallel (Ln = Tb) magnetic f-moments in the ordered state, determined by neutron diffraction
M. Kuznietz, El'ad Caspi, H. Pinto, M. Melamud, H. Shaked 102

Spin glass behaviour in URh_2Ge_2
S. Süllow, S.A.M. Mentink, T.E. Mason, W.J.L. Buyers, G.J. Nieuwenhuys, A.A. Menovsky, J.A. Mydosh 105

Thermodynamic study of the magnetic phase transition in UNi_4B
S.A.M. Mentink, H. Amitsuka, A. de Visser, Z. Slanič, D.P. Belanger, J.J. Neumeier, J.D. Thompson, A.A. Menovsky, J.A. Mydosh, T.E. Mason 108

NMR studies of frustrated spin structure in UNi_4B
C.-Y. Liu, D.E. MacLaughlin, H.G. Lukefahr, G.J. Nieuwenhuys, S.A.M. Mentink, J.A. Mydosh 111

Magnetic quantum oscillations in Ce-based heavy-fermion compounds
R.W. Hill, C. Haworth, T.J.B.M. Janssen, P.J. Meeson, M. Springford, A.L. Wasserman 114

Magnetic interactions competing in $CeNi_{1-x}Cu_x$ compounds
J.G. Soldevilla, J.C. Gómez Sal, J.R. Fernández, J.I. Espeso, L. Monconduit, J. Allemand, D. Paccard 117

Magnetoresistivity anisotropy in $CeRu_2Si_2$ and derived alloys
F. Lapierre, F. Mallmann, S. Holtmeier, S. Kambe, P. Haen 120

Low-temperature specific heat of $Ce(Ru_{1-x}Rh_x)_2Si_2$ and $(Ce_{1-x}La_x)Ru_2Si_2$
T. Taniguchi, Y. Tabata, H. Tanabe, Y. Miyako 123

Evidence for single-ion spectral response from a strongly hybridised Anderson-lattice: $CeRh_2$
A.P. Murani, R.S. Eccleston 126

Giant galvanomagnetic effects in intermediate valence systems with magnetic order
E.M. Levin 130

^{77}Se NMR study of CeSe
K. Hiraoka, K. Kojima, T. Shinohara, T. Hihara, P. Wachter 133

Hall effect in Ce-monochalcogenides CeX (X = S, Se, Te)
K. Hiraoka, R. Pittini, P. Wachter 136

Possible quadrupolar ordering in a Kondo-lattice compound $Ce_3Pd_{20}Ge_6$
J. Kitagawa, N. Takeda, M. Ishikawa, T. Yoshida, A. Ishiguro, T. Komatsubara 139

de Haas–van Alphen effect in $Ce_3Pd_{20}Ge_6$
A. Ishiguro, M. Yasumoto, N. Sato, T. Yoshida, A. Sawada, M. Suzuki, O. Sugie, M. Ishikawa, T. Kömatsubara 142

Low-temperature specific heat of $Ce_{3-x}La_xPd_{20}Si_6$
N. Takeda, J. Kitagawa, M. Ishikawa 145

Low-temperature behaviour of $CePt_{5-x}M_x$ (M = Al, Ga)
E. Sagmeister, E. Bauer, E. Gratz, H. Michor, G. Hilscher 148

Optical properties of $LaTe_2$ and $CeTe_2$
M.H. Jung, Y.S. Kwon, T. Kinoshita, S. Kimura 151

Electronic structures of rare-earth ternary compounds CePtSb and LaPtSb
K.H. Kim, M.H. Jung, J.S. Kwon, H. Suzuki, M. Kasaya, K. Katoh, T. Takabatake 155

Quasi-two-dimensional conductivity in CePtSb and CePdSb
K. Katoh, T. Takabatake, A. Ochiai, A. Uesawa, T. Suzuki 159

Ce ground state in $CePd_{1-x}Ni_x$
J.-P. Kappler, M.J. Besnus, P. Haen, J. Sereni 162

Transport and magnetic studies on $CeNiGe_3$ compound
A. Das, L. Menon, A.K. Nigam, S.K. Malik 165

Electrical resistivity, heat capacity and magnetic susceptibility anomalies in $Ce_{1-x}La_xIr_2Ge_2$
R. Mallik, E.V. Sampathkumaran, P.L. Paulose 169

Low-temperature properties of $Ce(Ru_{0.85}Rh_{0.15})_2Si_2$ single crystals
C. Sekine, Y. Nakazawa, K. Kanoda, T. Sakakibara, S. Murayama, I. Shirotani, Y. Ōnuki 172

Giant lattice softening in the normal state of $CeRu_2$
T. Suzuki, H. Goshima, S. Sakita, T. Fujita, M. Hedo, Y. Inada, E. Yamamoto, Y. Haga, Y. Ônuki 176

Transport properties in $CeCo_2$ single crystal
H. Sugawara, T. Nishigaki, Y. Kobayashi, Y. Aoki, H. Sato 179

$CeCu_2$: A new heavy-fermion superconductor near 6 GPa
E. Vargoz, P. Link, D. Jaccard 182

Antiferromagnetic ordering in $CeHg_3$
J. Tang, K.A. Gschneidner Jr 186

Metamagnetism and low-temperature properties of Ce_5Si_3
T. Nishioka, Y. Ushida, S. Chikazawa, M. Kontani 189

Fermi surface of low carrier compound CeBi
K. Morita, T. Goto, S. Nakamura, Y. Haga, T. Suzuki, Y. Kaneta, O. Sakai 192

Magnetic phase transitions in the ternary stannides Ce_2T_2Sn with T = Ni, Pd and Pt
B. Chevalier, F. Fourgeot, D. Laffargue, J. Etourneau, F. Bouree, T. Roisnel 195

High-pressure resistivity and lattice parameters of $CeNi_2Ge_2$
T. Fukuhara, K. Maezawa, H. Ohkuni, T. Kagayama, G. Oomi 198

Magnetic and transport measurements on CeNiAl
L. Menon, A. Agarwal, S.K. Malik 201

Effect of pressure on the electrical resistivity of $CeBe_{13}$
T. Kagayama, T. Sawamura, G. Oomi, A. Lacerda, J.L. Smith 204

High-pressure study of antiferromagnetic order in $CePd_2(Al, Ga)_3$
J. Tang, H. Kitazawa, A. Matsushita, T. Matsumoto 208

Specific heat and electrical resistivity studies on Ce_2T_2In, T = Ni, Rh, Pt, Pd, Cu and Au
R. Hauser, H. Michor, E. Bauer, G. Hilscher, D. Kaczorowski 211

Breakdown of ferromagnetism in $CePd_2Ga_3$ under high pressure
T. Burghardt, E. Hallmann, A. Eichler 214

Thermal expansion and NMR of CePdSb
P.C. Riedi, M.J. Thornton, J.G.M. Armitage, J.S. Lord, G.J. Tomka, D. Fort 217

Dilution behaviour in $(Ce–La–Y)Ru_2Si_2$
M.J. Besnus, A. Meyer, P. Haen 220

Magnetic and structural transitions in $CeRh_2Sb_2$
T. Takabatake, T. Tanaka, Y. Bando, H. Fujii, N. Takeda, M. Ishikawa, I. Oguro 223

Magnetic properties of Th_2Zn_{17}-type $Ce_2Cu_xAl_{17-x}$
H. Ido, T. Nishioka, M. Kontani 226

NMR and NQR studies on $UCu_{4+x}Al_{8-x}$ $(0 < x < 2)$ system
M. Kontani, T. Nishioka, H. Makino, K. Hayashi 229

Low-temperature specific heat of $Ce_{0.5}La_{0.5}B_6$
S. Nakamura, O. Suzuki, T. Goto, T. Matsumura, T. Suzuki, S. Sakatsume, S. Kunii 233

The Fermi surfaces and the magnetic properties of $Ce_xLa_{1-x}P$
A. Uesawa, Y. Haga, T. Suzuki 236

^{27}Al-NMR study of RPd_2Al_3 (R = Ce, Pr, ND) system
K. Fujiwara, H. Okubo, K. Kumagai 240

Onset of magnetic order in the concentrated region in $CeCu_{5-x}Ga_x$
G. Wiesinger, R. Hatzl, E. Bauer, A. Amato, R. Feyerherm, F.N. Gygax, A. Schenck 243

Incommensurate antiferromagnetism and magnetic correlations in $CeCu_{6-x}Au_x$
O. Stockert, H.v. Löhneysen, A. Schröder, M. Loewenhaupt, N. Pyka, P.L. Gammel, U. Yaron 247

Magnetic ordering of the heavy-fermion alloy $CeCu_{5.1}Ag_{0.9}$
O. Stockert, A. Neubert, H.v. Löhneysen 250

Polaronic effects in strongly coupled electron–phonon systems: Exact diagonalization results for the 2D Holstein t–J model
H. Fehske, G. Wellein, B. Bäuml, H. Büttner 899

Hole dispersion and magnetic correlations in cuprates
R. Hayn, V.Yu. Yushankhai, A.F. Barabanov 903

Theory of magnetic short-range order for high-T_c superconductors
U. Trapper, D. Ihle, H. Fehske 906

Hubbard's repulsion, self-energy and quasiparticles: Application to $YBa_2Cu_3O_7$
M.M. Sánchez-López, J. Costa-Quintana, F. López-Aguilar, I.S. Sandalov 909

Local properties in the two-dimensional model
A. Avella, F. Mancini, H. Matsumoto, D. Villani 912

Singlet pairing in the 2D Hubbard model
T. Di Matteo, F. Mancini, H. Matsumoto, V.S. Oudovenko 915

The superconductivity of two holes near-full-filling in an attractive two-component Hubbard model
A.N. Kocharian, A.K. Jermakian, C. Yang 918

Superconductivity and dynamical short-range order in high T_c systems
J. Schmalian, S. Grabowski, K.H. Bennemann 922

Quadrupling of unit cell in half-filled domain walls in the cuprates
A.M. Oleś, J. Zaanen 925

Spin fluctuation effects in the normal state of Hubbard systems
J. Costa-Quintana, F. López-Aguilar, A. Pérez-Navarro, L. Puig-Puig 929

Vortices in d-wave superconductors
R. Heeb, A. van Otterlo, M. Sigrist, G. Blatter 932

Vortex state in d-wave superconductivity
K. Maki, H. Won 935

Penetration depth in a mixed-wave superconductor
N.M. Krishna, K.N. Shrivastava 939

Comparison between d-wave superconductor with nonmagnetic impurities and s-wave superconductor with magnetic impurities
Y. Sun, K. Maki 942

Superconductivity in systems with strong correlations
B. Steininger, T. Pruschke, J. Keller 945

Electronic theory for bilayer effects in high-T_c superconductors
S. Grabowski, J. Schmalian, K.H. Bennemann 948

The model of singlet-correlated bands for temperature and doping dependences of Cu(2) Knight shift in bilayered cuprates
M. Eremin, S. Varlamov, I. Eremin, D. Brinkmann, R. Markendorf, M. Mali, J. Roos 952

From BCS-like superconductivity to condensation of local pairs: A numerical study of the attractive Hubbard model
J.M. Singer, M.H. Pedersen, T. Schneider 955

Phonon-induced anomalous Raman spectra in undoped high-T_c cuprates
J.D. Lee, B.I. Min 959

Spin fluctuations near the magnetic instability in heavy-fermion systems
S. Kambe, J. Flouquet, P. Lejay, P. Haen 321

Low-temperature electrical resistance of the $U(Cu, Ni)_4Al_8$ system and magnetic and electrical properties of $ScCu_{4+x}Al_{8-x}$
W. Suski, T. Cichorek, K. Wochowski, D. Badurski, B. Ya. Kotur, O.I. Bodak 324

Chapter 2. Heavy fermion superconductivity

On the gap structure of UPt_3: phases A and B
L. Taillefer, B. Ellman, B. Lussier, M. Poirier 327

Hysteretic peak effect in $CeRu_2$
N.R. Dilley, J. Herrmann, S.H. Han, M.B. Maple 332

Superconducting tunneling spectroscopy on epitaxial UPd_2Al_3 thin films
M. Jourdan, M. Huth, J. Hessert, H. Adrian 335

Further evidence for time reversal symmetry breaking in the heavy electron superconductor UPt_3
D.A. Brawner, H.R. Ott, Z. Fisk 338

Very low-temperature thermal conductivity of UPt_3
H. Suderow, J.P. Brison, A.D. Huxley, J. Flouquet 342

Magnetic properties of heavy fermion superconductors UPt_3 and URu_2Si_2
K. Tenya, M. Ikeda, T. Tayama, K. Kuwahara, H. Amitsuka, T. Sakakibara, E. Yamamoto, K. Maezawa, N. Kimura, R. Settai, Y. Ōnuki 345

Quantum oscillations in URu_2Si_2
C. Bergemann, S.R. Julian, G.J. McMullan, B.K. Howard, G.G. Lonzarich, P. Lejay, J.P. Brison, J. Flouquet 348

^{101}RuNQR study of antiferromagnetic superconductor URu_2Si_2
K. Matsuda, Y. Kohori, T. Kohara 351

Neutron scattering study of the incommensurate magnetic order of UNi_2Al_3 in high magnetic fields
J.G. Lussier, A. Schröder, J.D. Garrett, B.D. Gaulin, W.J.L. Buyers 354

Single crystal growth and superconducting properties of UPd_2Al_3
Y. Haga, E. Yamamoto, Y. Inada, D. Aoki, K. Tenya, M. Ikeda, T. Sakakibara, Y. Ōnuki 357

NME/NQR studies of U-123 type heavy fermion compounds
H. Tou, Y. Kitaoka, T. Kamatsuka, K. Asayama, C. Geibel, F. Steglich, S. Süllow, J.A. Mydosh 360

Superconducting and magnetic properties of UNi_2Al_3 single crystal
M. Mihalik, F.E. Kayzel, T. Yoshida, K. Kuwahara, H. Amitsuka, T. Sakakibara, A.A. Menovsky, J.A. Mydosh, J.J.M. Franse 364

Strong correlation between magnetism and superconductivity in a single crystalline UNi_2Al_3 and UPd_2Al_3
N. Sato, N. Aso, N. Tateiwa, N. Koga, T. Komatsubara, N. Metoki 367

Heat conduction in the heavy fermion superconductor UPd_2Al_3
M. Chiao, B. Lussier, B. Ellman, L. Taillefer 370

Temperature and angular dependence of the upper critical field of UPd_2Al_3 thin films
J. Hessert, M. Huth, M. Jourdan, H. Adrian, C.T. Rieck, K. Scharnberg 373

Critical current measurements on thin films of $CeRu_2$
D. Groten, S. Ramakrishnan, B. Becker, G.J. Nieuwenhuys, J.A. Mydosh, J. Aarts 377

Kondo effect in CeRhBi and superconductivity in LaRhBi
S. Yoshii, D. Tazawa, M. Kasaya 380

Cu NQR study of magnetic correlation and superconductivity in a series of $Ce_{1+x}Cu_{2+y}Si_2$
K. Ishida, Y. Kitaoka, K. Kashima, K. Asayama, C. Geibel, F. Steglich 383

dHvA oscillation in the superconducting mixed state of $CeRu_2$
Y. Inada, M. Hedo, T. Ishida, E. Yamamoto, Y. Haga, Y. Ōnuki 387

Break junctions of the heavy-fermion superconductor UNi_2Al_3
K. Gloos, F.B. Anders, B. Buschinger, C. Geibel 391

Superconducting property of single crystal U_6Fe
E. Yamamoto, Y. Haga, A. Nakamura, N. Kimura, Y. Inada, H. Sugawara, H. Sato, Y. Ōnuki 394

Evidence for possible spin or orbital magnetism in the superconducting state of $UBe_{12.91}B_{0.09}$
R.H. Heffner, L.P. Le, G.J. Nieuwenhuys, D.E. MacLaughlin, A. Amato, F.N. Gygax, A. Schenck, J.S. Kim, G. Stewart, H.R. Ott 398

Mixed state transport properties and peak effect in f-electron superconductors
H. Sato, Y. Aoki, Y. Kobayashi, H.R. Sato, T. Nishigaki, H. Sugawara, M. Hedo, Y. Inada, Y. Ōnuki 402

Upper critical field of heavy fermion superconductors
J.P. Brison, A. Buzdin, L. Glémot, F. Thomas, J. Flouquet 406

Chapter 3. Heavy electron phenomena (theory)

Boundary conditions and small cluster diagonalization approaches for correlated electron systems
C. Millán, M. Avignon 409

The generalized Gutzwiller method for $n \geqslant 2$ correlated orbitals: Itinerant ferromagnetism in d(e_g)-bands
J. Bünemann, W. Weber 412

Coherent quasiparticle evolution in charge transfer systems: A dynamical mean field theory
P. Lombardo, J. Schmalian, M. Avignon, K.H. Bennemann 415

Gutzwiller wave function under magnetic field
H. Yokoyama, S. Tokizaki 418

Effects of A Magnetic field in Kondo insulators: An exact diagonalization study of the Anderson lattice model
K. Tsutsui, Y. Ohta, R. Eder, S. Maekawa, E. Dagotto, J. Riera 421

1/*N*-expansion of an Anderson–Hubbard model
T. Schork 425

Collective Kondo effect in the Anderson–Hubbard lattice
P. Fazekas, K. Itai 428

Magnetotransport for the Anderson impurity and lattice
H. Keiter, U. Kleineidam, T. Leuders 431

Strong-coupling approach to ground-state properties of the Anderson lattice-model
J. Brinckmann 434

Towards a microscopic theory for metallic heavy-fermion point contacts
F.B. Anders, K. Gloos 437

Self-consistent treatment of crystal-electric-field-levels in the Anderson lattice
F.B. Anders, D.L. Cox 441

Periodical Anderson model for Pr metal
U. Lundin, O. Eriksson, B. Johansson, I. Sandalov 445

Cumulant expansion for the p–d model
R. Citro, M. Marinaro 448

Constraint quantization of slave-particle theories
C. Helm, J. Keller 451

A two-impurity model for the underscreened Kondo problem
K. Le Hur, B. Coqblin 454

A two-band Kondo model with competing ferro- and antiferromagnetic exchange interactions
E. Pavarini, L.C. Andreani 457

Kondo lattice model revisited: Vacuum state and elementary excitations
J.M. Prats, F. López-Aguilar 460

Nonmagnetic impurities in heavy-fermion systems
S. Wermbter, K. Wermbter, G. Czycholl 463

Off-diagonal superconducting correlations and Nagaoka instability in the repulsive Hubbard model
A.N. Kocharian, A.K. Jermakian, C. Yang 466

Effective-interactions among heavy quasiparticles: Hamiltonian approach in the Kondo lattice limit
R. Citro, J. Spałek 469

Anomalous exchange mechanism in Gd monopnictides
T. Kasuya, D.X. Li 472

Magnetic impurity states and universality in Gd monopnictides
T. Kasuya, D.X. Li 475

The Kondo effect in Bohm–Aharonov resonant tunneling devices
J.R. Iglesias, E.V. Anda, M.A. Davidovich, G. Chiappe 478

Short-range correlated eigenstates in the many-electron problem
J. Szeftel 482

Fermi surfaces and local curvature factors of Ce compounds with cubic Laves phase structure
M. Higuchi, Y. Onuki, A. Hasegawa 486

Stabilization of spin liquid in Kondo lattice: High temperature regime
K.A. Kikoin, M.N. Kiselev, A.S. Mishchenko 490

Electronic phase transitions in the Falicov–Kimball model
P. Farkašovský 493

Photoemission spectra, hybridization, and Coulomb correlation in RT_2 (R = Y, Ce, Pr, Nd, Sm, Gd; T = Fe, Co, Ni)
J.-S. Kang, K. Kang, B.I. Min 497

Magnetic and electronic properties of the kagomé-like $RCuO_{2.66}$ compounds
C. Lacroix, B. Canals, M.D. Núñez-Regueiro 500

Short-range magnetic correlations in cerium Kondo compounds
C. Lacroix, J.R. Iglesias, J. Arispe, B. Coqblin 503

Phonon effects in colossal magnetoresistance manganese oxides
B.I. Min, J.D. Lee 506

Stoner criterion of ferromagnetism and moment saturation in the Hubbard model with an applied magnetic field
G.W. Fernando, A.N. Kocharian, R.E. Watson, M. Weinert 509

Energy-band theory of the inverse metal–insulator transition in UNiSn
A.N. Yaresko, P.M. Oppeneer, V.N. Antonov, A.Ya. Perlov, H. Eschrig 513

Self-interaction corrected band structure of black-phase SmS
R. Schumann, A. Mishchenko, M. Richter 516

Calculation of the paramagnetic susceptibility and specific heat in UGa_2 and UPd_2Al_3 from ab initio crystal field theory
M. Richter, M. Diviš, J. Forstreuter, K. Koepernik, L. Steinbeck, H. Eschrig 519

Chapter 4. Magnetism in heavy electron systems

Competition between Kondo effect and magnetic interaction in Kondo systems
L.C. Andreani, E. Pavarini, E. Liviotti, P. Santini, G. Amoretti 523

Frustration in itinerant antiferromagnets
C. Lacroix, B. Canals, M.D. Núñez-Regueiro, B. Coqblin, J. Arispe 529

Magnetic frustrations and magnetic order in $CeAl_3$ and related alloys
R. Pietri, B. Andraka 535

Chapter 5. Magneto-optics

MO Kerr study of the $4f^1$ state
R. Pittini, J. Schoenes, P. Wachter 538

Theory of the optical and magneto-optical spectra of cerium and uranium compounds
P.M. Oppeneer, V.N. Antonov, A.Ya. Perlov, A.N. Yaresko, T. Kraft, H. Eschrig 544

Chapter 6. Non-Fermi liquid behavior

Non-Fermi-liquid behavior in strongly correlated electron systems
H.v. Löhneysen, F. Huster, S. Mock, A. Neubert, T. Pietrus, M. Sieck, O. Stockert, M. Waffenschmidt 550

Non-Fermi-liquid dynamics of the two-channel Kondo lattice
M. Jarrell, H. Pang, D.L. Cox, F. Anders, A. Chattopadhyay 557

Low-temperature NMR studies of strongly correlated electron systems
J.L. Gavilano, B. Ambrosini, P. Vonlanthen, J. Hunziker, H.R. Ott 563

Non-Fermi liquid behavior as a consequence of Kondo disorder
E. Miranda, V. Dobrosavljević, G. Kotliar 569

Non-Fermi-liquid behavior in $CeCu_2Si_2$ at the disappearance of the presumably magnetically ordered "A-phase"
P. Gegenwart, M. Lohmann, M. Lang, R. Helfrich, C. Langhammer, M. Köppen, C. Geibel, F. Steglich, W. Assmus 572

Field dependence of the magnetic quantum phase transition in MnSi
C. Pfleiderer, C. Thessieu, A.N. Stepanov, G. Lapertot, M. Couach, J. Flouquet 576

Scaling of the "$C_p \propto T \ln T$" dependence in Ce systems
J.G. Sereni, C. Geibel, M. Gomez-Berisso, P. Hellmann, O. Trovarelli, F. Steglich 580

Uniaxial pressure dependence of the Néel temperature in $CeCu_{5.8}Au_{0.2}$
M. Sieck, F. Huster, H.v. Löhneysen 583

Electrical resistivity of the non-Fermi-liquid alloy $CeCu_{5.9}Au_{0.1}$
A. Neubert, T. Pietrus, O. Stockert, H.v. Löhneysen, A. Rosch, P. Wölfle 587

Magnetic resonance in $Ce(Cu_{1-x}Ni_x)_2\,Ge_2$ and $CeCu_2(Si_{1-y}\,Ge_y)_2$
N. Büttgen, H.-A. Krug von Nidda, A. Loidl 590

Non-Fermi liquid behavior in $Ce(Cu_{1-x}Ni_x)_2\,Ge_2$ and $CeCu_2(Si_{1-y}Ge_y)_2$
G. Knebel, C. Eggert, T. Schmid, A. Krimmel, M. Dressel, A. Loidl 593

Instability of non-Fermi-liquid state in $Y_{1-x}U_xPd_3 (x = 0.198)$ under high pressure
Y. Sakurai, T. Kagayama, G. Oomi, Y. Aoki, H. Sato, Y. Ōnuki, H. Takahashi, N. Mōri 596

Pressure-dependent electrical resistivity in $UCu_{5-x}Pd_x$
R. Chau, S.H. Han, M.B. Maple, M.C. Aronson, H.v. Löhneysen 600

Specific heat and magnetic susceptibility of UCu_4Pd at very low temperatures
R. Vollmer, S. Mock, T. Pietrus, H.v. Löhneysen, R. Chau, M.B. Maple 603

μSR studies of Kondo disorder in $UCu_{5-x}Pd_x$ and $CeCu_{5.9}Au_{0.1}$
D.E. MacLaughlin, O.O. Bernal, A. Amato, R. Feyerherm, F.N. Gygax, A. Schenck, R.H. Heffner, L.P. Le, G.J. Nieuwenhuys, B. Andraka, H.v. Löhneysen, O. Stockert, H.R. Ott 606

Non-Fermi liquid studies in (U, Th)Pd_2X_3 compounds (X = Al, Ga)
Paul de V. du Plessis, A.M. Strydom, R.P. Gers 610

Thermal expansion of the non-Fermi liquid system $Th_{1-x}U_xRu_2Si_2 (x \leqslant 0.07)$
H. Amitsuka, T. Sakakibara, A. de Visser, F.E. Kayzel, J.J.M. Franse 613

Chapter 7. Non-Fermi liquid behavior (theory)

Non-Fermi-liquid scaling in $U(Cu, Al)_5$ compounds
H. Nakotte, K.H.J. Buschow, E. Brück, J.C.P. Klaasse, K. Prokeš, F.R. de Boer, A.V. Andreev, A. Lacerda 616

Almost localized fermions in a magnetic field. Deviation from the Landau picture and a transition to non-Fermi liquid
J. Spałek, W. Wójcik, P. Korbel 620

Two-channel Kondo impurity magnetoresistance
P. Schlottmann, A.A. Zvyagin 624

Numerical renormalization group study of the 'compactified' Anderson model
R. Bulla, A.C. Hewson 627

Chapter 8. Low-carrier density rare earth systems and mixed valence

Anomalous transport and electronic properties of Yb_4As_3 under high pressure
N. Môri, H. Takahashi, Y. Sekine, A. Ochiai, Y. Haga, T. Suzuki, T. Kashiwakura, S. Nakai, M. Nomura 630

Break-junction measurements of CeNiSn under magnetic fields
T. Ekino, T. Takabatake, H. Fujii 635

Charge order and one-dimensional properties of Yb_4As_3
M. Kohgi, K. Iwasa, A. Ochiai, T. Suzuki, J.-M. Mignot, B. Gillon, A. Gukasov, J. Schweizer, K. Kakurai, M. Nishi, A. Dönni, T. Osakabe 638

Magnetic state of Tm ions in the $Tm_xSm_{1-x}S$ system
I.A. Smirnov, A.V. Goltsev, L.S. Parfeneva, A.V. Golubkov 641

Chapter 9. Low-carrier system, mixed valent system, FeSi and miscellaneous

Novel magnetic structures of the low-carrier system CeP under high pressure
T. Osakabe, M. Kohgi, K. Iwasa, N. Nakajima, J.M. Mignot, I.N. Goncharenko, Y. Okayama, H. Takahashi, N. Môri, Y. Haga, T. Suzuki 645

^{31}P NMR studies of CeP
S. Takagi, A. Kobayashi, Y. Haga, T. Suzuki 649

^{31}P NMR studies of the Knight shift anomaly in $(Ce_{0.50}La_{0.50})P$
A. Kobayashi, S. Takagi, A. Uesawa, T. Suzuki 652

μSR studies of magnetic correlations in Pt and Cu doped CeNiSn
G.M. Kalvius, S.J. Flaschin, T. Takabatake, A. Kratzer, R. Wäppling, D.R. Noakes, F.J. Burghart, A. Brückl, K. Neumaier, K. Andres, R. Kadono, I. Watanabe, K. Kobayashi, G. Nakamoto, H. Fujii 655

Magnetoelastic anomalies in CeNiSn
S. Holtmeier, C. Hinkel, M. Aigner, G. Bruls, D. Finsterbusch, B. Wolf, W. Assmus, B. Lüthi 658

μSR magnetic response of CeNiSn on impurity content
A. Kratzer, G.M. Kalvius, S.J. Flaschin, D.R. Noakes, R. Wäppling, A. Brückl, K. Neumaier, K. Andres, T. Takabatake, K. Kobayashi, G. Nakamoto, H. Fujii 661

Pressure effect on magnetic excitation in the Kondo semimetal CeNiSn
H. Kadowaki, T.J. Sato, G. Nakamoto, T. Takabatake, H. Fujii, Y. Isikawa 664

Magnetic excitations in CeNiSn under high magnetic field
S. Raymond, L.P. Regnault, H. Kadowaki, G. Nakamoto, T. Takabatake, J. Flouquet 667

Effect of high magnetic field on gap formation in CeNiSn
K. Izawa. T. Suzuki, M. Kitamura, T. Fujita, G. Nakamoto, T. Takabatake, H. Fujii 670

Small moment ordering in U-doped CeNiSn. A μSR study
J.-G. Park, C. Scott, K.A. McEwen, R. Cywinski 673

Anomalous scattering of quasiparticles by Co and Cu impurities in the Kondo semimetal CeNiSn
K. Kobayashi, T. Takabatake, G. Nakamoto, M. Higa, T. Yoshino, H. Fujii, M. Sera 676

On the influence of soft crystal field excitations on the spectrum of spin excitations in CeNiSn-type Kondo lattices
Yu. Kagan, K.A. Kikoin, A.S. Mishchenko 680

Magnetoresistance and energy gap of CeNiSn in high-magnetic field
K. Sugiyama, M. Fujita, K. Kindo, G. Nakamoto, K. Kobayashi, T. Takabatake, H. Fujii 683

On the magnetisation density of CeNiSn
A. Hiess, I. Zobkalo, M. Bonnet, J. Schweizer, E. Lelièvre-Berna, F. Tasset, Y. Isikawa, G.H. Lander 687

Anisotropic magnetoresistance of CeNiSn
Y. Inada, T. Ishida, H. Azuma, D. Aoki, R. Settai, Y. Ōnuki, K. Kobayashi, T. Takabatake, G. Nakamoto, H. Fujii, K. Maezawa 690

Gap-suppression in CeRhSb by Ni substitution
L. Menon, S.K. Malik 695

Systematic study in mixed valence system $Yb_4(As_{1-x}Sb_x)_3$
H. Aoki, A. Ochiai, T. Suzuki, R. Helfrich, F. Steglich 698

Elastic anomalies of charge ordering in Yb_4As_3
T. Goto, Y. Nemoto, S. Nakamura, A. Ochiai, T. Suzuki 702

Low energy excitation of Yb_4As_3
S. Kimura, A. Ochiai, T. Suzuki 705

Strongly correlated electron system without free carrier $Yb_4(As_{1-x}P_x)_3$
A. Ochiai, H. Aoki, T. Suzuki, R. Helfrich, F. Steglich 708

Magnetic-field-induced insulator-to-metal transition in Kondo insulators and comparison with YbB_{12}
T. Saso 711

Transport and magnetic properties of mixed valent SmB_6
J. Roman, V. Pavlík, K. Flachbart, Th. Herrmannsdörfer, S. Rehmann, E.S. Konovalova, Yu.B. Paderno 715

Speculations concerning SmB_6
B.R. Coles 718

Brillouin spectroscopy on doped SmS
U. Schärer, P. Wachter 721

Pressure-driven metal–insulator transition in La- and Tm-doped SmS by exciton condensation
A. Jung, P. Wachter 725

Magnetic structure and transitions of $SmMn_2Ge_2$
G.J. Tomka, Cz. Kapusta, C. Ritter. P.C. Riedi, R. Cywinski, K.H.J. Buschow 727

Magnetic anomalies in $SmMn_2Ge_2$
R. Mallik, E.V. Sampathkumaran, P.L. Paulose 731

Neutron scattering study of crystal-field excitations in TmTe
E. Clementyev, R. Köhler, M. Braden, J.-M. Mignot, C. Vettier, T. Matsumura, T. Suzuki 735

Specific heat study of the quadrupolar ordering in TmTe
T. Matsumura, H. Shida, T. Suzuki 738

Effect of pressure on the Néel temperature of DyB_6
T. Sakai, G. Oomi, S. Kunii 741

dHvA effect of DySb in quadrupole ordered state
M. Ozawa, T. Matsumura, A. Uesawa, T. Suzuki, T. Sakon, Y. Nakanishi, H. Nojiri, M. Motokawa 744

Metamagnetic magnetization in $DyCu_2$
K. Sugiyama, Y. Yoshida, D. Aoki, R. Settai, T. Takeuchi, K. Kindo, Y. Ōnuki 748

Quantum fluctuations and frustration of the collinear phase in CaV_3O_7
H. Kontani, M.E. Zhitomirsky, K. Ueda 752

Spin-state transition and microscopic magnetic properties of $LaCoO_3$
M. Itoh, M. Mori, M. Sugahara, T. Yamauchi, Y. Ueda 756

Unusual relaxational dynamics in $La_{1-x}Ca_xMnO_3$ ($x = 0.33$ and 0.67)
R.H. Heffner, L.P. Le, D.E. MacLaughlin, G.M. Luke, K. Kojima, B. Nachumi, Y.J. Uemura, G.J. Nieuwenhuys, S.-W. Cheong 759

Antiferromagnetic Kondo lattice: $CePdSi_2$
D.T. Adroja, B.D. Rainford 762

Metamagnetism in $PrCu_2$ based on the quadrupole moment
R. Settai, P. Ahmet, S. Araki, M. Abliz, K. Sugiyama, Y. Ōnuki 766

Large T-linear specific heat of $NdGa_2$ below 1 K
Y. Aoki, H. Sato, H. Sugawara 770

Magnetic properties of cubic $NpGa_3$
E. Colineau, F. Bourdarot, P. Burlet, J.P. Sanchez, J. Larroque 773

Effect of pressure and magnetic field on the electrical resistance of $PrSb_2$
G. Oomi, T. Kagayama, K. Kawaguchi, P.C. Canfield, S.L. Bud'ko 776

High-resolution and low-temperature photoemission study on $Ca_{1-x}Sr_xVO_3$ single crystals
I.H. Inoue, H. Makino, I. Hase, Y. Aiura, Y. Haruyama, Y. Nishihara 780

Transport properties of FeSi
B. Buschinger, C. Geibel, F. Steglich, D. Mandrus, D. Young, J.L. Sarrao, Z. Fisk 784

Optical phonons in the reflectivity spectrum of FeSi
A. Damascelli, K. Schulte, D. van der Marel, M. Fäth, A.A. Menovsky 787

Low-temperature magnetic and thermodynamic properties of $Fe_{1-x}Co_xSi$
M.A. Chernikov, E. Felder, S. Paschen, A.D. Bianchi, H.R. Ott, J.L. Sarrao, D. Mandrus, Z. Fisk 790

Stoichiometric effects on the optical spectra and pressure response of $Fe_{1-x}Mn_xSi$
E. Bauer, S. Bocelli, R. Hauser, F. Marabelli, R. Spolenak 794

Interplay of magnetism and impurity band in a Kondo insulator
P. Schlottmann 797

Correlational switching between 3×1 and 6×1 surface reconstructions on Si(111) with submonolayer Ag adsorption
K. Kempa, D.A. Broido, H.H. Weitering 800

Quantum fluctuations in granular metals
E. Cuevas, E. Louis, J.A. Vergés, M. Ortuño 803

Chapter 10. Superconductivity (cuprates)

Exotic phase properties of $d_{x^2-y^2}$-wave superconductors
M. Sigrist 806

Dynamical properties of doped strongly coupled Hubbard chains
H. Endres, R.M. Noack, W. Ziegler, W. Hanke 811

Phase separation in HTSC and related nonsuperconducting systems
E.L. Naegaev 816

The normal state gap in 1 and 2 layer cuprates
R. Michalak, R. Dupree, A. Asab, I. Gameson, P.P. Edwards 822

Doping effects on the electronic structure of CuO_2 planes
M. Grioni, H. Berger, S. Larosa, I. Vobornik, F. Zwick, G. Margaritondo, R. Kelley, J. Ma, M. Onellion 825

Sum rules in optical spectra of the attractive Hubbard model
H. Eskes, A.M. Oleś 828

Magnetic phase diagram of a single crystal of the electron-doped high T_c superconductor $Pr_{1.85}Ce_{0.15}CuO_{4-y}$
M.C. de Andrade, G. Triscone, M.B. Maple, S. Spagna, J. Diederichs, R.E. Sager 832

Electronic Raman scattering on $YBa_2Cu_4O_8$(Y124)
M. Filzmoser, P. Wachter 835

Intercalation-induced phase separation in oxygen deficient $YBa_2Cu_3O_{6.51}$
M. Baran, J. Molenda, H. Szymczak, R. Szymczak 838

Spin dynamics in $La_{2-x}Sr_xCuO_{4+\delta}$ probed by electron paramagnetic resonance
J. Sichelschmidt, B. Elschner, A. Loidl 841

Temperature dependence of the infrared properties of $Bi_{2.1-x}Pb_xSr_2Ca_2Cu_3O_{10+\delta}$ ($x = 0.3$, 0.4 and 0.5)
N. Hudáková, D. Macko, K. Knížek, V. Plechaček 844

Electron energy-loss and X-ray photoemission spectroscopy of $Sr_2CuO_2Cl_2$
R. Neudert, T. Böske, O. Knauff, M. Knupfer, M.S. Golden, G. Krabbes, J. Fink, H. Eisaki, S. Uchida 847

The electronic structure of the layered cuprate $Ba_2Cu_3O_4Cl_2$
H.C. Schmelz, M. Knupfer, M.S. Golden, O. Knauff, T. Böske, S. Haffner, G. Krabbes, A. Müller, G. Reichardt, J. Fink 850

Rare-earth–Cu interaction in high-temperature superconductors
C. Quitmann, B. Beschoten, G. Güntherodt, M. Onellion 853

Electron momentum re-distribution due to superconducting transition in Bi-2212 and (Bi, Pb)-2223 oxides
U. De, P.M.G. Nambissan, S. Chaudhuri, D. Sanyal, D. Banerjee 856

Chapter 11. Superconductivity (borocarbide)

$(Lu_{1-x}Yb_x)Ni_2B_2C$: From 16 K superconductor to heavy fermion
S.L. Bud'ko, P.C. Canfield, A. Yatskar, W.P. Beyermann 859

NMR study of borocarbide superconductor $ThNi_2B_2C$
Y. Iwamoto, T. Oda, K. Ueda, T. Kohara 862

Suppression of T_c in $YbNi_2B_2C$ and $Y_{0.9}Yb_{0.1}Ni_2B_2C$
Z. Hossain, R. Nagarajan, S.M. Pattalwar, S.K. Dhar, L.C. Gupta, C. Godart 865

Magnetoquantum oscillations in the normal and superconducting state of YNi_2B_2C
G. Goll, L. Nguyen, E. Steep, A.G.M. Jansen, P. Wyder, K. Winzer 868

The nature of magnetic ordering in $TbNi_2B_2C$
C.V. Tomy, L.J. Chang, D.M. Paul, C. Ritter 872

Magnetotransport measurements of single crystalline heavy fermion $YbNi_2B_2C$
A. Yatskar, S.L. Bud'ko, P.C. Canfield, W.P. Beyermann, G.M. Schmiedeshoff, M.S. Torikachvili, C.H. Mielke, A. Lacerda 876

Optical properties of the borocarbide superconductors
F. Bommeli, L. Degiorgi, P. Wachter, B.K. Cho, P.C. Canfield, R. Chau, M.B. Maple 879

Magnetic properties of Co- and Cu-doped $RNi_2{}^{11}B_2C$ (R = Ho, Er) measured by neutron scattering
P. Allenspach, U. Gasser, A. Furrer 882

NMR study of borocarbide superconductor $Y(Ni_{1-x}M_x)_2B_2C$ (M = Co, Cu, Pd, Pt)
Y. Iwamoto, T. Oda, K. Ueda, T. Kohara 886

Chapter 12. Superconductivity (theory)

The electronic structure of $Ba_2Cu_3O_4Cl_2$
H. Rosner, R. Hayn 889

Effects of spin fluctuations in the t–J model
T. Obermeier, T. Pruschke, J. Keller 892

Magnetic susceptibility for the t–J model
Th. Pruschke, Th. Obermeier, J. Keller 895

Polaronic effects in strongly coupled electron–phonon systems: Exact diagonalization results for the 2D Holstein t–J model
H. Fehske, G. Wellein, B. Bäuml, H. Büttner 899

Hole dispersion and magnetic correlations in cuprates
R. Hayn, V.Yu. Yushankhai, A.F. Barabanov 903

Theory of magnetic short-range order for high-T_c superconductors
U. Trapper, D. Ihle, H. Fehske 906

Hubbard's repulsion, self-energy and quasiparticles: Application to $YBa_2Cu_3O_7$
M.M. Sánchez-López, J. Costa-Quintana, F. López-Aguilar, I.S. Sandalov 909

Local properties in the two-dimensional model
A. Avella, F. Mancini, H. Matsumoto, D. Villani 912

Singlet pairing in the 2D Hubbard model
T. Di Matteo, F. Mancini, H. Matsumoto, V.S. Oudovenko 915

The superconductivity of two holes near-full-filling in an attractive two-component Hubbard model
A.N. Kocharian, A.K. Jermakian, C. Yang 918

Superconductivity and dynamical short-range order in high T_c systems
J. Schmalian, S. Grabowski, K.H. Bennemann 922

Quadrupling of unit cell in half-filled domain walls in the cuprates
A.M. Oleś, J. Zaanen 925

Spin fluctuation effects in the normal state of Hubbard systems
J. Costa-Quintana, F. López-Aguilar, A. Pérez-Navarro, L. Puig-Puig 929

Vortices in d-wave superconductors
R. Heeb, A. van Otterlo, M. Sigrist, G. Blatter 932

Vortex state in d-wave superconductivity
K. Maki, H. Won 935

Penetration depth in a mixed-wave superconductor
N.M. Krishna, K.N. Shrivastava 939

Comparison between d-wave superconductor with nonmagnetic impurities and s-wave superconductor with magnetic impurities
Y. Sun, K. Maki 942

Superconductivity in systems with strong correlations
B. Steininger, T. Pruschke, J. Keller 945

Electronic theory for bilayer effects in high-T_c superconductors
S. Grabowski, J. Schmalian, K.H. Bennemann 948

The model of singlet-correlated bands for temperature and doping dependences of Cu(2) Knight shift in bilayered cuprates
M. Eremin, S. Varlamov, I. Eremin, D. Brinkmann, R. Markendorf, M. Mali, J. Roos 952

From BCS-like superconductivity to condensation of local pairs: A numerical study of the attractive Hubbard model
J.M. Singer, M.H. Pedersen, T. Schneider 955

Phonon-induced anomalous Raman spectra in undoped high-T_c cuprates
J.D. Lee, B.I. Min 959

Screening effects in superconductors
M. Capezzali, D. Ariosa, H. Beck 962

Chapter 13. Low-dimensional systems and spin–Peierls systems

The electrodynamics of interacting electrons in anisotropic metals
G. Grüner 966

Non-Fermi liquid features in Q1D organic conductors due to their proximity to SDW state
L.P. Gor'kov 970

Mott transition in one dimension
T. Giamarchi 975

Evolution of the ground state of $(TMTTF)_2Br$ with pressure
S.E. Brown, B.J. Klemme 981

Substitution effects on spin fluctuations in the spin-Peierls compound $CuGeO_3$
M. Fischer, P. Lemmens, G. Güntherodt, M. Weiden, W. Richter, C. Geibel, F. Steglich 984

Chapter 14. Low-dimensional systems (CDW, SDW and spin Peierls)

Changes in ^{63}Cu and ^{65}Cu NMR relaxation rates due to charge density wave transition in CuV_2S_4
T. Ohno, Y. Kishimoto, K. Miyatani 983

Magnetic anisotropy in the SDW state of metallic $V_{2-y}O_3$ by magnetotransport measurements on oriented single crystals
S. Klimm, G. Gerstmeier, H. Paulin, M. Klemm, S. Horn 992

Angular-resolved photoemission on V_2O_3 and VO_2
E. Goering, M. Schramme, O. Müller, H. Paulin, M. Klemm, M.L. denBoer, S. Horn 996

Scaling of the dielectric relaxation in spin-density wave systems
G. Abdussalam, G. Szeghy, R. Gaal, G. Mihaly 999

Phase diagram of the quasi-two-dimensional organic superconductor $(ET)_2Cu[N(CN)_2]Br$
R. Gaál, G. Fülöp, G. Kriza, G. Szeghy, G. Mihály 1002

Normal state electrodynamics of compounds with charge- and spin-density-wave ground states
A. Schwartz, S. Donovan, M. Dressel, L. Degiorgi, G. Grüner 1005

Optical response of the spin-density-wave ground state
M. Dressel, L. Degiorgi, J. Brinckmann, A. Schwartz, G. Grüner 1008

Spin density wave and heavy electrons in $Ce(Ru_{1-x}Rh_x)_2Si_2$ and $Ce_{1-x}La_xRu_2Si_2$
Y. Miyako, S. Kawarazaki, T. Taniguchi, T. Takeuchi, K. Marumoto, R. Hamada, Y. Yamamoto, M. Sato, Y. Tabata, H. Tanabe, M. Ocio, P. Pari, J. Hammann 1011

INVAR-like behavior of heavy electrons in $Ce(Ru_{0.85}Rh_{0.15})_2Si_2$
T. Takeuchi, S. Kawarazaki, Y. Miyako, M. Acet, G. Dumpich, M. Roettker, E.F. Wassermann 1014

Spins and phonons in the spin-Peierls compound $CuGeO_3$
P.H.M. van Loosdrecht, J.P. Boucher, S. Huant, G. Martinez, G. Dhalenne, A. Revcolevschi 1017

Chapter 15. Low-dimensional systems (theory)

Variational study of ferromagnetism in the t_1–t_2 Hubbard chain
S. Daul, P. Pieri, M. Dzierzawa, D. Baeriswyl, P. Fazekas 1021

Large Fermi surface of the one-dimensional Kondo lattice model observed by Friedel oscillations
N. Shibata, K. Ueda, T. Nishino, C. Ishii 1024

Order–disorder transition in a 2d Heisenberg quantum antiferromagnet with competing nearest-neighbour bonds
J. Richter, S. Krüger, N.B. Ivanov 1028

Mott–Hubbard transition in finite one- and two-dimensional lattices: Exact results
A.N. Kocharian, A.K. Jermakian, A. Sogomonian 1031

Temperature dependence of the spectral properties for 2-D Hubbard model with anisotropic hopping
V. Zlatić 1034

Unconventional superconductivity in the Hubbard–Holstein model
T. Hotta, Y. Takada 1037

Projector quantum Monte Carlo simulations of the Hubbard model: Staggered magnetization
R.E. Hetzel, P. Topalis, K.W. Becker 1041

Numerical study of the Goodenough–Kanamori–Anderson mechanism in a two-band Hubbard model
J. Schulenburg, J. Richter 1044

Model calculation of the interaction terms and ground states of the extended Hubbard model on a dimer
J.R. Iglesias, M.A. Gusmão, M. Acquarone, A. Romano, C. Noce 1047

Single-particle excitation in one-dimensional extended Hubbard model
S. Yunoki, T. Tohyama, S. Maekawa 1050

Magnetic properties of a magnetic impurity in a strongly correlated electronic system
S. Yunoki, Y. Mizuno, S. Maekawa 1054

Magnetic and orbital excitations in manganese oxides
W. Koshibae, S. Ishihara, Y. Kawamura, S. Okamoto, J. Inoue, S. Maekawa 1058

Pseudospin symmetry, Peierls instability, and charge-density wave
S.-Q. Shen, X.C. Xie 1061

A generalized FQHE trial wave function on spherical geometry
S.De Filippo, C. Lubritto 1064

Two-magnon Raman scattering in a spin density wave antiferromagnet
F. Schönfeld, A.P. Kampf, E. Müller-Hartmann 1067

List of Contributors 1071

Subject index 1077

Materials Index 1081